
PS
THE PREVENTIVE MAINTENANCE MONTHLY
IT SAYS, "...WHEN YOU RUN UP AGAINST A TOUGH MAINTENANCE PROBLEM, CHECK THE PS INDEX."
WILL EISNER
2ND Bn. ECHELON REPAIR
INDEX
Issues 116-121
(Jul-Dec 1962)

PS THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 6
to
ISSUES 116 - 121
(July - December 1962)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 116 to 121 INCLUSIVE

	PS	Page
A		
AIMING CIRCLE, M2		
Stuck compass needle	119	65
AIR CONDITIONER		
Ellis & Watts A60		
Capillary tube	118	48
Condensation	118	48
AIRCRAFT, ARMY		
Fixed Wing		
OV-1 (Mohawk)		
Inner tube in nose wheel	117	59
Instruments--Mark dials	119	44
O-1 (Bird Dog)		
Engine 0-470-11, 0-470-15--		
Correct ignition hook-up	116	47
First aid kit check	117	59
U-6A (Beaver)		
Carburetor fuel strainer--Use care when installing	116	48
U-8 (Seminole)		
Engine governor--Proper control hook up	121	51
Engine--TBO time	119	51
Rotary Wing		
CH-34C (Choctaw)		
ASN-23 Autopilot moisture problem	121	54
Keep neoprene floats free from punctures-- OH-13, OH-23, CH-21C	116	50
Lube tool for push-pull rod bearings	117	60
Rotor blade tab tool	117	61
Slings--Use TA & SL for authority	121	52

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Rotary Wing		
OH-13 (Sioux)		
Clutch info	121	58
New pin assembly for GH wheels	116	45
Tail rotor gear box--Don't over fill	119	42
OH-13E (Sioux)		
Carburetor air intake--No hand hold	117	58
OH-13H (Sioux)		
Throttle linkage--light lube in cold weather	117	57
CH-21 (Shawnee)		
Stencil boarding steps	117	58
OH-23D (Raven)		
Maintenance Pointers	117	54
UH-19 (Chickasaw)		
Modification of AT-454/ARC	119	45
AIRCRAFT, ARMY, GENERAL		
ASN-23 Autopilot moisture problem	121	54
Battery		
Keep nickel-cadmium & lead-acid separate	118	54
Engine oils--Commercial grades in TB AVN 2	119	47
Engine time change--TBO or nearest PE	121	56
Hangar--Painting guide line for aircraft	119	45
Life Preserver--Replacing bulb in Mark II type	118	28
Publications		
Don't punch bound "P" manuals	119	51
TM 55-405--Maintenance Engineering Series	119	48
Safety		
Carbon Monoxide Detector Kit (See DETECTOR KIT)	117	10
Snow removal	120	62
Snow storm protection	120	58
Starting with auxiliary generator	117	62
Supply		
Treat reparables with care	116	46
Taxi aircraft at safe distance	119	65
AIR INTAKE		
Care and cautions for internal combustion engine air intake in extreme cold	120	12
AMMUNITION BAGS		
3 types to use for 3.5-in. rockets	118	40
ANALYZER ZM-3A/U--Radioactive knobs	118	60
ANTENNAS		
AB-360/G--Don't let it whip snap	116	18
AN/PRC-8-10--Correct folding	116	26
AN/TRC-24--Loosen guy wires before turning	116	19
AN/TRC-47--Spray with lacquer	116	23

	PS	Page
ANTIFOGGING COMPOUND		
Ask Chemical Corps support for it	120	64
ARMORED PERSONNEL CARRIER M113 (SEE CARRIER, PERSONNEL, ARMORED M113)		
ARMY EQUIPMENT RECORDS SYSTEM		
Changes to PS #115	119	14

B

BALLISTIC COMPUTER, M13, M13A1		
Ammo selector interrupter switch--Breaks easy	117	9
BALLOONS, METRO		
Use regulator for inflating	121	46
BATTERY (SEE ALSO ELECTRICAL SYSTEM)		
Installation and servicing	119	40
Lead-acid storage battery PM in extreme cold	120	46
Lugs, quick-disconnect clamp type	118	45
Nickel-cadmium--Care of	118	54
Signal		
Cold weather care	120	54
BRACKET, RIFLE (See RIFLE, M1)		
BREATHING APPARATUS		
Carrying cases should not have holes in them	121	16
BULLDOZER		
New Mil Standard blades	116	56

C

CAN, GAS		
Don't paint flexible nozzle tube	121	15
CANVAS		
Load-carrying harness	117	2
CARBINE		
Bolt--Check for cracks	118	24
CARBON MONOXIDE DETECTOR KIT (SEE DETECTOR KIT)		
CARBON TET		
Substitutes	119	19
CARBURETOR		
See that air cleaner connections are tight	117	24

	PS	Page
CARRIER, PERSONNEL, ARMORED, M59		
Engine cooling hose	116	65
How To Steer	117	37
Life Preservers	118	37
CARRIER, PERSONNEL, ARMORED M113		
Clamps, how to order	117	39
Cold weather starting	119	8
Controlled differential overheating	118	23
Fan drive gear box plug	116	14
How to steer	117	37
Life Preservers	118	37
Personnel heater info	119	10
Transfer case oil level dipstick	121	39
CARRIER, SELF-PROPELLED, MORTAR M84		
How to order snorkels	117	38
Life Preservers	118	37
CLOTHING		
Don't dye fatigues	117	39
COLD WEATHER CARE		
Cold weather PM for artillery, ammo	121	2
250,000 & 400,000 BTU Tent Heaters	120	40
Engine maintenance	120	56
Engineer equipment	121	22
General maintenance, automotive equipment	120	2
Signal--Dry cell batteries	120	54
Starting kit, M40	120	16
COMBAT VEHICLE MASK M14 (See PROTECTIVE MASK)		
COMMERCIAL VEHICLE (See VEHICLE, COMMERCIAL)		
COMMUNICATION EQUIPMENT		
Use padding when transporting unmounted	117	49
COMPOUND, ANTIFOGGING		
(SEE ANTIFOGGING COMPOUND)		
CRANE		
Tag line--How to requisition	118	46
CRANE-SHOVEL		
Lube for exposed gears	116	39
CRANE SHOVEL, QUICKWAY M200		
Boom lever fix	119	12

D

DEMOUNTER, PNEUMATIC TIRE (See TOOLS)

	PS	Page
DETECTOR KIT		
Carbon Monoxide--How to assemble sampling bulb.	117	10
DRIVING, WHEELED VEHICLE		
Icy Driving	121	18
DRONE, USD-1		
Warm up magnetron in transponder	116	17

E

ELECTRICAL SYSTEM		
Battery servicing	119	40
Spark plugs, tactical	121	17
ELECTRON TUBES		
ML 6544 radioactive	117	48
ELEVATOR, NIKE		
Check cylinder support	117	64
ENGINE AIR INTAKE		
Care and cautions for internal combustion engine air intake in extreme cold	120	12
ENGINE, TRACTOR		
Cold weather tips	120	56

F

FIRE TRUCK		
Walters Model MF		
Operation	119	13
Steering MWO	120	28
FLAME THROWER, M2A1		
Do not screw ball joint cap too tight	117	12
FLASHLIGHT		
New one for Hercules outfits	120	28
FORMS, DA, DD, SF, ETC.		
DA Form 12-32--Missile pinpoint distribution	116	61
Equipment operation	121	40
FURNITURE		
Fold desk stools	117	7

G

GENERATOR, AUXILIARY
Aircraft Starting 117 62
GENERATOR
Cummins
Model JS-6-G--Timing mark missing 116 53
PU-450/G--Mix oil with fuel. 121 28
GENERATOR, HOL-GAR, CE55-AC/WK6
Lower radiator hose 116 52
Warm-up speed 119 12
GENERATOR, HOLLINGSWORTH 3 KW
Hook-up with heater 116 52
GENERATOR, SMOKE (See SMOKE GENERATOR)
GRADER
Cat 12--Generator drive 116 57
Huber-Warco Model 4D
Clutch adjustment 116 58
Operator cautions 116 59
GUN, MACHINE, 7.62-MM, M60
Be Your Own Inspector 116 2
Gas cylinder--Don't raise tabs on washers 116 10
Gas piston--Put it in right 116 10
Loading--Correct way 116 11
MWO 9-1005-224-20 installs pin in cover assembly. 120 28
GUN, MACHINE, 7.62-MM, M73
Don't switch solenoid assemblies 116 65
GUN, MACHINE 50 CAL
Barrel Rotation--Check MWO 9-1005-213-30/1 . . . . . 118 65
Oil buffer--Don't mix old and new 118 26
With M41 & M41A1 OEM--Not M17 trainer 121 65

H

HANDSET
H-33/PT--Treat it easy 117 46
HAWK
Assault fire command console
Fold legs before moving 118 44
Correct desiccant 120 65

	PS	Page
HAWK (Cont'd)		
Launcher		
Follow cleaning, lubing instructions in TM	117	16
Use GAA on some components	117	17
Use rope to trip forward rotating sector	117	17
Loader-Transporter		
Checking final drive oil	117	15
Missile--Use right tool for radome removal	117	14
Radars, CW--Be careful when coolant line is disconnected	117	16
Radars, CW--Use handles to move	118	44
Sealing Compound--Keeps water off electronic chassis	117	65
HEADSETS		
H-63/U--General care and cautions	116	20
HEATER, 250,000 BTU & 400,000 BTU		
Care and use in extreme cold climate	120	40
HEATER, AMERICAN 400,000 BTU		
Hook-up with generator	116	52
HEATER, PERSONNEL		
Fuel for Hunter UH-68	118	39
HELMET, APH-5		
FSN's for replacement parts	119	51
Oxygen masks for OV-1 aviators	119	65
HONEST JOHN		
M405 handling unit--Use the right fire extinguisher	117	42
HOWITZER, 8", M2		
How to measure oil in replenisher	117	41
HOWITZER, 105-MM, SELF-PROPELLED, M52		
Valve gate and leaf spring--Install right	117	40
HYDRAULIC FLUID		
Mil Spec data	120	65

I

IMMERSION HEATER		
Operating and PM tips	117	26
INDIVIDUAL CLOTHING & EQUIPMENT		
Load-carrying harness	117	2
INSPECTION		
Be Your Own Inspector		
M261 Transporter trailer	119	24
Machine Gun, M60, 7.62-MM	116	2
10,000 lb Rough Terrain Truck	119	52
Cannon tubes must be inspected	118	38
First Echelon	117	4
New AR 750-8	121	65

K

KIT, COLD START, M40 (SLAVE)
Operation 120 16
KITS, ENGINEER MWO'S
Milstrip numbers 119 11

L

LANTERN, ELECTRIC
Parts 116 37
LICENSE
Engineer 120 28
LIQUID OXYGEN TANK
Cambridge 217-30, landing jacks 118 49
LUBRICATION
OE vs OES as crankcase lubes in extreme cold . . . . . 120 37 & 39

M

MAINTENANCE
Check the MAC 116 21
Cold weather care, automotive equipment 120 2
Cold weather tips 121 22
Policy--("Operation ARM") 117 65
MATERIALS HANDLING EQUIPMENT
Converting whse tractors for towing aircraft 119 46
10,000 lb rough terrain truck--Be your own inspector . . . 119 52
MULTIMETER
ME-77/U--Iridium plating shorts 117 45

N

NATIONAL GUARD (See PUBLICATIONS)
NIKE, GENERAL (AJAX AND HERCULES)
Transporter, Missile--Do what warning plate says 116 64
NIKE HERCULES
Acquisition Radar--New stalo
filament voltage tolerance 121 65
Cleaning--Uses of mineral spirits 119 23
Launcher
Keep safety devices out of way 116 60
Launcher & Handling Rail
Fix on MWO Ord Y86-W11 . . . . . 117 14
Missile
Use self-locking battery cable clamps 117 13
Wrong ram pressure tube assy. 121 50
Track Radars--FSN for disks 117 13

O

OIL
PE--When to change 116 13
OIL, ENGINE AND OIL, ENGINE SPECIAL
Lubricating effectiveness in extreme cold . . . . . 120 37 & 39
OIL VISCOSITY
Differences between OE and OES in extreme cold . . . . . 120 37 & 39
OPERATION
Cold weather tips 121 22
OPERATION ARM--Army Ready Materiel 118 1
OVM
Wheeled Vehicles Listings 121 37

P

PAINT
Training rockets--Black only 118 65
PARACHUTE
Safety pin for 24-ft reserve chute 116 65

	PS	Page
PARTS		
Stockage requirements	119	37
PARTS, REPLACEMENT		
Errors in Eng parts requests	116	54
PISTOL, AUTOMATIC 45 CAL.		
3 accessories not to be replaced	118	24
POWER SUPPLY		
PP-826 & 827--No filters to be used	118	64
PU-286/G--Drain hole for magneto	116	22
PU-407--Reduce length of mounting bolts	116	18
PROTECTIVE MASK		
M9A1--Cannister not needed in rocket launching	117	11
M14--How to clean	118	39
PUBLICATIONS		
Air--TM 55-405-series	119	48
AR 735-35 (See SUPPLY)	118	4
Conflicting information	120	65
Engineer		
Canvas case, use	116	37
National Guard follow AR 310-2	121	65
New	116	42
	117	43
	118	53
	121	50
On equipment	121	40
TM 9-243--Use and care of tools	119	7
Wheeled vehicle OVM listings	121	37

R

RADAR SET		
AN/MPQ-4, 4A--Lubing linear actuators	116	27
AN/MPQ-4A--Rotate lamp cable	119	18
AN/MPQ-33--By-passing coolant pump	120	65
AN/MPQ-34--Use smaller fuse to prevent burnout	119	51
RADIO ACCESSORIES		
Cold weather operation	121	48
RADIO BEACON SET, AN/GRN-6		
Avoid shock from junction plate	118	64
RADIO SETS		
AN/ARC-55 and 27--New cooling motor	116	27

	PS	Page
RADIO SETS (Cont'd)		
AN/GRC-46		
Switch to CW to preserve battery	116	23
AN/PRC-6		
Be careful of retaining arm	116	24
Name varies with components	116	25
AN/PRC-8-10--Correct folding of antenna	116	26
454/ARC--Modification of antenna	119	45
Cold-weather operation	121	42
RADIO TRANSMITTER		
T-368--Leave plate relay switch on	117	47
REFRIGERATION		
Thermo-King--Crankcase drain plug	118	47
REPAIR LIMITS		
Regulations governing QM items	119	51
RIFLE, AUTOMATIC, CAL 30, BROWNING		
Sear--Don't remove anti-rust finish	117	10
RIFLE, 7.62-MM, M14		
Busted safeties	121	65
Flash suppressor locknut--Check it	118	65
Stock--Two-toned OK	117	65
RIFLE, M1, CAL 30		
Bracket assembly not for M38A1 or M59	121	41
Stock--Two-toned OK	117	65
RIFLE, RECOILLESS, 106-MM		
Breechblock--Grinding of threads	118	24
RUST--Remove it with bore cleaner	118	65

S

SAFETY		
Tubes--Disposal of dangerous ones	119	2
Use narrow beam flashlight to point at moving parts	120	65
SAFETY STRAP (See TRUCK, 2-1/2 TON, REO; TRUCK, 2-1/2 TON, G749 SERIES; TRUCK, 5-TON, G744)		
SAW, CHAIN		
One at a time with 3-KW generator	117	64
SCRAPER		
Operation tips	116	57
SEASONAL OPERATION		
Cold Weather Care		
Engine maintenance	120	56
Starting kit M40	120	16

	PS	Page
SHELTER		
S-141/G		
FSN for sling	119	18
New lifting and tie-down methods	119	15
S-141/U & S-144/U		
Frost break insulating gasket	121	45
SHELTERS, COMMUNICATION		
TB Sig 354 has maintenance info	117	65
SMOKE GENERATOR, M3 SERIES		
Place small end of needle-valve spring over needle-valve	117	11
Sediment strainer--Watch for burrs	116	16
SPARK PLUG		
Tactical wheeled vehicles	121	17
STORAGE		
Armor vests--Keep 'em clean and dry	116	38
STORAGE BATTERIES		
Lead-acid storage battery PM in extreme cold	120	46
STOVE, M1941, TENT		
Care and use in very cold weather	121	60
STOVE, YUKON M1950		
Care and use in very cold weather	121	60
SUPPLY		
The new AR 735-35	118	4

T

TANK, GENERAL		
How to steer	117	37
New light switch	118	25
Shocks and snubbers--differences between	116	40
Using primer pump	117	8
TANK, M48 and M48A1		
Countersunk end connectors	116	15
TANK, M48, M48A1, M48A2		
M8 tank mounted dozer--Oil reservoir heat control	119	38
TANK, M60		
Battery ground straps	116	14
Brake Linkage--Ice in boots	121	15
Checking circuit 104	118	21
Filter baskets rusting	117	65
Fuel tank MWO needed	119	65
Gun shield cover	120	65

	PS	Page
TANK, M60 (Cont'd)		
Starter parts FSN's	119	51
Starting tip	116	65
Tube pressure sending units	118	20
Turret blower warning plate	118	25
Two important cupola MWO's	121	65
TARPAULINS		
Preservative compound to use	119	65
TELEPHONE		
EE-8 Series--Deleting TS-9-F handset and GN-38 from list	116	22
TELESCOPE		
M97H--Keep wingnut tight	117	12
TENTS		
Poles--No paint needed	121	38
TERMINAL STRIP TM-184		
Use wax to insulate	118	65
TEST KIT MK-155/TCC		
Replace female connector	117	46
TIRE DEMOUNTER (See TOOLS)		
TOOLS		
Color coding prevents loss	117	9
Ignition Timing Light--Lamp	120	65
Sets-Kits		
General mechanics now automotive mechanics	116	65
P/N's for TMP Gen Mech (TA 55-34)	116	41
Rocket (Honest John)	118	42
TK-115/G replaces TE-41	117	50
Tire Demounter--Ask for shoes	118	27
TM (See PUBLICATIONS)		
Wheeled vehicle OVM listings	121	37
TOOL SET		
TK 87--Corrected price	121	47
TK 88--Add new screwdriver	121	47
TOWER AB/216/U		
Look for faulty components	118	62
TRACTOR, CRAWLER IHC		
Adapter for track adjustment	118	65
TRACTOR, MRS MODEL 150		
Avoid over-loading	119	14
TRAILER		
Pole type, boat clamping beam	118	46
Turn signals	117	38
TRAILER, CARGO 1-1/2 TON		
MWO 9-2330-213-30/3 adds support leg	117	49
TRAILER, WATER TANK		
MWO tells how to clean and paint	117	21

	PS	Page
TRUCK, GENERAL		
New light switch	118	25
Turn signals	117	38
TRUCK, 1/4-TON, M38		
Canvas Top--Use mildew resistant compound	117	23
Turning circle adjustment	117	23
TRUCK, 1/4-TON, M38A1		
Gasket, valve spring cover	119	7
Turning circle adjustment	117	23
TRUCK, 1/4-TON M151		
Check propeller shafts	116	28
Socket Assemblies--Ball joint arms	116	65
TRUCK, 3/4-TON G741 SERIES		
Cage to protect strainer	117	20
How to get horn cable insulator	119	39
Spring, heavy duty	121	16
TRUCK, 2 1/2-TON REO G742 SERIES		
Safety Strap--Federal stock number	117	7
TRUCK, 2 1/2 TON, G749 SERIES		
How to set front band adjustment	117	23
Hydra-matic transmission linkage adjustments	117	22
Safety strap--Federal Stock Number	117	7
TRUCK, 2-1/2 TON, M35		
CV boot mounting	118	41
TRUCK, 2-1/2-TON, V17/MTQ, V18A/MTQ		
Maintenance responsibility	119	41
TRUCK, 5-TON, G744 SERIES		
Publications changes	121	65
Pump-to-float oil tube	119	65
Safety Strap--Federal stock number	117	7
Steering		
Hydraulic reservoir 3/4 full	118	26
Tailpipe extensions	121	38
TRUCK, 10-TON, M123		
Flywheel and clutch breaking	117	18
TRUCK, TANK, 2-1/2-TON, M49C		
Hose, discharge, FSN	117	42
TRUCK, TANK, 2-1/2 TON M49, M49C		
Cleaning--Inside of tank	116	15
TRUCK, WRECKER, 5-TON, M62		
Towbar, chain clamp	116	65
TUBE TESTER TV-7/U		
New Test data (Jan 62)	117	46
TUBES, ELECTRONIC		
Don't arbitrarily replace old tubes	117	44

V

VEHICLE, COMMERCIAL
How to get MWO list 117 21

W

WATERCRAFT
Maintenance on LCM-6, LCM-8, LCU-1466
Landing Craft 116 43
Spot painting vessels 118 28
WATER PURIFIER
MET-PRO 600-2500
Carrying Handles--Tie down 118 52
MET-PRO 1500-3000
Air deflector plate removal 118 50
Valve handle fix 118 51
WATER TANK TRAILER (See TRAILER, WATER TANK)
WEBBING
Load-carrying harness 117 2
WIND MEASURING SET AN/MMQ-1
Fix for trailer legs 118 61

U. S. GOVERNMENT PRINTING OFFICE : 1963 O - 675571



HARD WORK

is an accumulation of easy things you didn't do when you should have.